

# Honda Trimmers





**HONDA**

**I**t's early evening and the smell of freshly cut grass is lingering through the neighborhood. You start up your Honda string trimmer and it purrs so quietly, you're still able to hear the sound of kids playing down the street.

There's nothing quite like this time of year. As you take it all in, you admire the professional job your Honda string trimmer does. It's no wonder you have the best looking yard on the block.

Just as you finish trimming, you hear the familiar song of the ice cream truck. You can't help but smile

when you reach into your pocket and find a few dollars. You can't think of a better way to end the day.



# Honda has the right trimmer for the job

From the HHT25SLTA to the HHT35SUKA, Honda string trimmers are designed to take on even thick grass and heavy brush without bogging down. The excellent balance and feel of these trimmers makes them easy to hold and work with, which in turn, makes even the toughest job seem like a breeze.

Only Honda offers “Quiet Line” trimmer heads as standard on all models. Not to mention free safety goggles with every trimmer.

Honda backs it all up with a 2-year residential and 1-year commercial warranty along with a limited lifetime HHT drive cable warranty\*.

\*Drive cable limited lifetime warranty is valid for the original purchaser only. See your distributor for details.



## 4-STROKE ENGINE

## The Honda Mini 4-stroke advantage

Thanks to Honda Mini 4-stroke technology, every Honda string trimmer is highly fuel efficient and offers excellent torque for demanding jobs. Plus, they run on regular gasoline so there's never a need to mix gas and oil. Like all Honda 4-strokes, they're exceptionally quiet and clean running. The end result is less smoke and less odor than the competition, which literally means less headache for the user.

All Honda string trimmers have the advantage of 360° inclinable 4-stroke engines, which means they can be used and rotated in any position.



**GX35 / HHT35**

Designed to handle various applications, Honda offers two different models of the Mini 4-stroke engine: the 25 cc and 35 cc. Choose the one that best fits the job at hand.



**GX25 / HHT25**

# HHT25SLTA

## Honda's lightest 4-stroke trimmer

For homeowner and commercial trimming needs, the HHT25SLTA Honda string trimmer provides ample power and torque. Equipped with a standard loop handle, this lightweight trimmer is especially easy to use. And because of the Honda Quick Start System, the HHT25SLTA requires minimal effort to start. This model can easily accommodate a variety of cutting blades with an optional barrier kit.



*The HHT25SLTA comes equipped with solid trigger design for excellent durability.*



# HHT35SLTA

## Heavy-duty 4-stroke trimmer

The HHT35SLTA Honda string trimmer is ideal for the commercial user or homeowner whose requirements include heavy-duty trimming and brush removal. This model comes standard with loop handle and semi-matic line feed for ease of use.



Honda trimmers can accommodate a variety of 9" or 10" cutting blades (with optional barrier kit).



New Deflector design offers operator excellent visibility.



All Honda trimmers come standard with a single or double harness for added control.



# HHT35SUKA

## Commercial 4-stroke trimmer

The Honda HHT35SUKA string trimmer features a commercial “bike” handle design for the serious professional whose needs range from regular trimming to clearing heavy brush, saplings and small trees. This model comes standard with manual feed head, double harness and 10" saw blade.



*Commercial “bike” handle provides increased leverage and precise control.*



*In addition to the supplied trimmer head and 10" saw blade, available accessories include a wide variety of special purpose 9" and 10" blades.*



*The adaptable Honda UKA trimmer is perfect for any job. It can operate with a string trimmer head or a series of different blades, depending on the task at hand.*



# TRIMMER SPECIFICATIONS

	HHT25SLTA	HHT35SLTA	HHT35SUKA
<b>ENGINE</b>			
<b>MODEL</b>	GX25	GX35	GX35
<b>Displacement</b>	1.53 cu. in. (25.0 cc)	2.18 cu. in. (35.8 cc)	2.18 cu. in. (35.8 cc)
<b>Fuel</b>	Unleaded Gasoline (86 Octane or higher)	Unleaded Gasoline (86 Octane or higher)	Unleaded Gasoline (86 Octane or higher)
<b>Fuel Tank Capacity</b>	19.6 fl. oz.	21.3 fl. oz.	21.3 fl. oz.
<b>Carburetor</b>	Diaphragm Type w/Fuel Pump	Diaphragm Type w/Fuel Pump	Diaphragm Type w/Fuel Pump
<b>Idle Speed</b>	3,100 ± 200 rpm	3,100 ± 200 rpm	3,100 ± 200 rpm
<b>Max. (no load) RPM**</b>	10,000 rpm	10,000 rpm	10,000 rpm
<b>FRAME</b>			
<b>Dimensions (LxWxH)</b>	73.4 in. x 12.8 in. x 9.6 in.	73.8 in. x 12.7 in. x 10.2 in.	75.0 in. x 23.6 in. x 15.9 in.
<b>Dry Weight (lbs)</b>	13.0	14.8	15.4
<b>Engine Stop Switch</b>	Slide Type Switch	Slide Type Switch	Slide Type Switch
<b>Throttle Control</b>	Two Motion Trigger	Two Motion Trigger	Two Motion Trigger
<b>Output Shaft Thread</b>	10 x 1.25 mm (1" Arbor)	10 x 1.25 mm (1" Arbor)	10 x 1.25 mm (1" Arbor)
<b>Drive</b>	Flexible Steel Cable	Flexible Steel Cable	Flexible Steel Cable
<b>Drive Support</b>	Nylon Support Sleeve	Nylon Support Sleeve	Nylon Support Sleeve
<b>Gear Ratio</b>	1.24:1	1.24:1	1.24:1
<b>Handle</b>	Loop Type	Loop Type	Bike Type
<b>Cutting Head</b>	Semi-matic Feed-Nylon	Semi-matic Feed-Nylon	Manual Feed Head-Nylon
<b>Part Number</b>	72560-VH8-642AH	72560-VH8-642AH	72560-VF9-C12
<b>Line Type</b>	.095 in. Ultra-Quiet	.095 in. Ultra-Quiet	.095 in. Ultra-Quiet
<b>Cutting Width</b>	17 in.	17 in.	17 in.
<b>Single Harness</b>	Standard	Standard	N/A
<b>Double Harness</b>	Optional *	Optional *	Standard
<b>Safety Goggles</b>	Standard	Standard	Standard
<b>1-Year Commercial and 2-Year Residential Warranty with Limited Lifetime HHT Drive Cable Warranty†</b>	•	•	•
<b>Blade Type</b>	9 in. Blade Optional***	10 in. Blade Optional***	10 in. Blade Standard
<b>Part Number</b>	72511-VF9-E00AH (22 tooth)	72511-VF9-D61 (50 tooth)	72511-VF9-D61 (50 tooth)
<b>Blade Barrier Kit</b>	Optional*	Optional*	Not Required
<b>Part Number</b>	06631-VH8-740	06631-VH8-740	

\* Must be used with all blade applications

\*\* Without cutting head

\*\*\* Requires Blade Barrier Kit

† Drive cable limited lifetime warranty is valid for the original purchaser only. See your distributor for details.



Visit us at [www.honda.com](http://www.honda.com)



For optimum performance and safety we recommend you read the owner's manual before operating your Honda Power Equipment. Specifications subject to change without notice.

All images contained herein are either owned by American Honda Motor Co., Inc., or used under a valid license. It is a violation of federal law to reproduce these images without express written permission from American Honda Motor Co., Inc., or the individual copyright owner of such images. All rights reserved. HONDA, the HONDA POWER EQUIPMENT logo, Honda power equipment model names and their trade dress are trademarks of Honda Motor Co., Ltd. used under license from American Honda Motor Co., Inc. Many Honda engine, trimmer, and vehicle model names, and associated trade dress may be seen at [www.honda.com](http://www.honda.com). ©2011 American Honda Motor Co., Inc. CO296